

Klemko Techniek B.V.  
Phone: +31 (0)880023300  
E-mail: info@klemko.nl

# klemko®

/productimages/863661.jpg

**Muur inbouw armaturen**

Package type: CT á 1 pce



**PRODUCT SPECIFICATIONS:**

Colour of light	White
Suitable for suspended mounting	No
Suitable for ceiling mounting	No
Suitable for wall mounting	Yes
Suitable for built-in mounting	Yes
Suitable for surface mounting	Yes
Lamp type	LED not exchangeable
With light source	Yes
Type of control gear	LED operating device current-controlled
With control gear	No
Nominal voltage (V)	8.8 - 8.8
Nominal current (mA)	0 - 350
Colour temperature (K)	2700 - 2700
Housing material	Aluminium
Housing colour	Aluminium
Suitable for light line configuration	No
Light sharing	Symmetric
Beam angle	Wide beam 41-80°
Light outlet	Indirect
Length (mm)	90
Width (mm)	90
Height/depth (mm)	40
Built-in length (mm)	70
Built-in width (mm)	70
Built-in height/depth (mm)	40
With movement sensor	No
With light sensor	No
Max. system power (W)	3.1
With air slots	No
Voltage type	DC
Colour rendering index CRI	90-100
Dimming potentiometer (integrated)	No
Light distributor	Reflector
Suitable for lamp power (W)	3.1 - 3.1
Type of wiring	Ending
Number of poles	2
Connection type	Plug
Exchangeable control gear	Yes
Colour of light adjustable	No
Luminous flux adjustable	Continuously variable
Beam angle adjustable	No
Energy efficiency class of the light source	E

according to EU regulation 2019/2015

Dimmable	Yes
(lm/W)	0 - 103
(lm)	0 - 320
With presence indicator	No
IP20	
Degree of protection (IP), front side	IP20
None	
Suitable for clamp-mounting	Yes
With mounting material	Yes
With switch	No