

Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

863758 - LCB-SIB-PI-W-WW

Led spots, inbouw

Package type: CT á 1 pce

PRODUCT SPECIFICATIONS:

| | |
|--|---|
| Spot | |
| Mounting method | Built-in |
| Colour temperature (K) | 3000 - 3000 |
| Colour of light adjustable | No |
| Nominal current (mA) | 0 - 350 |
| Nominal voltage (V) | 8.8 - 8.8 |
| Voltage type | DC |
| Max. system power (W) | 3.1 |
| (lm) | 0 - 415 |
| Energy efficiency class of the light source according to EU regulation 2019/2015 | D |
| Beam angle | Medium beam 21-40° |
| Beam angle (°) | 35 |
| Built-in depth (mm) | 23 |
| Length (mm) | 30 |
| Width (mm) | 30 |
| Height/depth (mm) | 53 |
| Outer diameter (mm) | 50 |
| Built-in diameter (mm) | 43 - 48 |
| Housing colour | White |
| Degree of protection (IP), front side | IP20 |
| IP20 | |
| Suitable for ceiling mounting | Yes |
| Luminous flux adjustable | Continuously variable |
| Suitable for lamp power (W) | 3.1 - 3.1 |
| Suitable for clamp-mounting | Yes |
| Adjustability | Rotating and swivelling |
| Lamp type | LED not exchangeable |
| With light source | Yes |
| Electrical connection with connector system | Yes |
| Type of control gear | LED operating device current-controlled |
| With control gear | No |
| Colour of light | White |
| Housing material | Aluminium |
| Light sharing | Symmetric |
| Colour rendering index CRI | 80-89 |
| Suitable for surface mounting | No |
| Suitable for built-in mounting | Yes |
| Optics | Lens |
| (cm) | 100 |
| Light distributor | Focal lens |
| Light outlet | Direct |
| Number of poles | 2 |



| | |
|---|-------|
| Colour consistency (McAdam ellipse) | SDCM1 |
| Exchangeable control gear | Yes |
| Beam angle adjustable | No |
| With presence indicator | No |
| Dimming manufacturer's proprietary system | No |
| None | |
| Dimmable | Yes |