

Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

MIL11 industriële led spots

Package type: BG á 1 pce

/productimages/867610.jpg



PRODUCT SPECIFICATIONS:

Spot	
Mounting method	Built-in
Colour temperature (K)	3000 - 3000
Colour of light adjustable	No
Nominal voltage (V)	12 - 12
Voltage type	DC
Max. system power (W)	0.5
Energy efficiency class of the light source according to EU regulation 2019/2015	Not required
Beam angle	Wide beam 41-80°
Beam angle (°)	60
Built-in depth (mm)	30
Length (mm)	25.5
Width (mm)	15
Height/depth (mm)	30
Outer diameter (mm)	15
Built-in diameter (mm)	11 - 11
Housing colour	White
Degree of protection (IP), front side	IP67
Other	
Suitable for ceiling mounting	Yes
Suitable for wall mounting	Yes
Suitable for lamp power (W)	0.5 - 0.5
Suitable for clamp-mounting	Yes
Adjustability	not adjustable
Lamp type	LED not exchangeable
Electrical connection with connector system	No
Type of control gear	LED operating device voltage-controlled
With control gear	No
Colour of light	White
Housing material	Aluminium
Light sharing	Symmetric
Colour rendering index CRI	90-100
Suitable for built-in mounting	Yes
Optics (cm)	Lens 100
Light distributor	Focal lens
Light outlet	Direct
Number of poles	2
Exchangeable control gear	Yes
With mounting bracket	No

867610 - MIL11WH-L-WW-
0,5W

klemko®



With presence indicator

No



Dimmable

Yes

