

Klemko Techniek B.V.
Tel.: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

868143 - LM-BTSP17W-30WW

Lumiko modulair B-trackspots

Package type: CT á 1 pce

/productimages/868143.jpg



PRODUCT SPECIFICATIONS:

Colour temperature (K)	3000 - 3000
Suitable for lamp power (W)	17 - 17
Max. system power (W)	17
Nominal voltage (V)	230 - 230
Suitable for light-track mounting	Yes
Adjustability	Rotating and swivelling
Lamp type	LED not exchangeable
With light source	Yes
Electrical connection with connector system	Yes
Degree of protection (IP)	IP20
Type of control gear	LED operating device current-controlled
With control gear	Yes
Housing material	Aluminium
Housing colour	Black
Rated luminous flux according to IEC 62722-2-1 (lm)	1800
Light sharing	Symmetric
Beam angle	Medium beam 21-40°
Length (mm)	86
Width (mm)	127
Beam angle (°)	30
Height/depth (mm)	140
(mm)	68
Outer diameter (mm)	68
Voltage type	AC
Colour of light	White
Colour rendering index CRI	90-100
Optics	Lens
Suitable for low voltage cable system	No
Yes	
Surface protection	Powder coating
Surface brushed	No
Dimming 0-10 V	No
Dimming 1-10 V	No
Dimming DALI	No
Dimming DMX	No
Dimming DSI	No
Dimming potentiometer (integrated)	No
Dimming LineSwitch	No
Dimming manufacturer's proprietary system	No
Dimming phase cut-off	Yes
Dimming phase cut-on	No
Light distributor	Focal lens

Light outlet	Direct
Number of poles	3
Connection type	Busbar adapter
Emergency power supply integrated	No
Colour consistency (McAdam ellipse)	SDCM2
Dimming DALI-2	No
Colour of light adjustable	No
With mounting bracket	No
Energy efficiency class of the light source according to EU regulation 2019/2015	E