

Klemko Techniek B.V.
Tel.: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

870815 - HYB-PIR-2x13W-WW

Wallie buitenverlichting met sensor

Package type: CT á 1 pce

/productimages/870815.jpg



PRODUCT SPECIFICATIONS:

Mounting method	Surface mounting
Dimmable	Yes
Colour temperature (K)	3000 - 3000
Colour of light adjustable	No
Dimming phase cut-off	No
(lm)	0 - 2400
(lm/W)	0 - 92
Nominal voltage (V)	230 - 230
Voltage type	AC
Max. system power (W)	26
Energy efficiency class of the light source according to EU regulation 2019/2015	F
Beam angle	Extreme wide beam >80°
Beam angle (°)	90
Length (mm)	196.3
Width (mm)	217.1
Height/depth (mm)	109.4
Housing colour	Grey
Degree of protection (IP), front side	IP55
Other	
Degree of protection (IP)	IP55
Suitable for ceiling mounting	No
Suitable for wall mounting	Yes
Luminous flux adjustable	Positions
Suitable for lamp power (W)	26 - 26
Adjustability	Rotating and swivelling
With movement sensor	Yes
With light sensor	Yes
Lamp type	LED not exchangeable
With light source	Yes
Suitable for number of light sources	2
Type of control gear	LED operating device current-controlled
With control gear	Yes
Colour of light	White
Housing material	Plastic
RAL-number (similar)	7037
Reflector	None
Light sharing	Symmetric
Colour rendering index CRI	80-89
Suitable for surface mounting	Yes
Suitable for built-in mounting	No
Suitable for low voltage cable system	No
Surface brushed	No
Dimming 1-10 V	No

Dimming DALI	No
Dimming DSI	No
Dimming potentiometer (integrated)	No
Dimming LineSwitch	No
Dimming mains voltage modulation	No
Dimming phase cut-on	No
Dimming programmable	Yes
Dimming Sine Wave Reduction	No
Light distributor	None
Light outlet	Direct
Number of poles	3
Connection type	Screwed terminal
Exchangeable control gear	No
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
With mounting bracket	Yes
Passive infrared	
With presence indicator	Yes
None	
None	
Dimming 0-10 V	No
IFTTT support available	No
Dimming with push-button	No
Dimming Touch and Dim	No
Compatible with Amazon Alexa	No
Dimming DMX	No
Dimming DALI-2	No
Dimming Zigbee	No
Dimming RF	No
Operation by Bluetooth	No
Compatible with Casambi	No