

Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

876673 - LED-IB-MR-DI-WW

Muur inbouw armaturen


Package type: CT á 1 pce

/productimages/876673.jpg



PRODUCT SPECIFICATIONS:

Colour of light	White
Suitable for suspended mounting	No
Suitable for ceiling mounting	No
Suitable for wall mounting	Yes
Suitable for built-in mounting	Yes
Suitable for surface mounting	Yes
Lamp type	LED not exchangeable
With light source	Yes
Type of control gear	LED operating device current-controlled
With control gear	No
Nominal voltage (V)	3 - 3
Nominal current (mA)	0 - 700
Colour temperature (K)	3000 - 3000
Housing material	Aluminium
Housing colour	Grey
Suitable for light line configuration	No
Material cover	Glass opal
Light sharing	Symmetric
Beam angle	Extreme wide beam >80°
Light outlet	Direct
Length (mm)	90
Width (mm)	90
Height/depth (mm)	40
Built-in length (mm)	70
Built-in width (mm)	70
Built-in height/depth (mm)	40
With movement sensor	No
With light sensor	No
Max. system power (W)	2.1
With air slots	No
Voltage type	DC
Colour rendering index CRI	90-100
Dimming potentiometer (integrated)	No
Dimming manufacturer's proprietary system	Yes
Light distributor	Diffuser lens/optic/panel
Suitable for lamp power (W)	2.1 - 2.1
Type of wiring	Ending
Number of poles	2
Connection type	Plug
Exchangeable control gear	Yes
Colour of light adjustable	No
Luminous flux adjustable	Continuously variable
Beam angle adjustable	No

On the left side of the page, there are five horizontal bars of different colors: orange, blue, light green, and grey, stacked vertically.

Energy efficiency class of the light source according to EU regulation 2019/2015	E
Dimmable	Yes
With presence indicator	No
IP20	
Degree of protection (IP), front side	IP20
None	
Suitable for clamp-mounting	Yes
With mounting material	Yes
With switch	No