

Klemko Techniek B.V.  
Phone: +31 (0)880023300  
E-mail: info@klemko.nl

# klemko®

## 876827 - LED-DRV20D2K300

Leddriver constante stroom


/productimages/876827.jpg

Package type: CT á 1 pce



**PRODUCT SPECIFICATIONS:**

Model	Dynamic
Output power (W)	1 - 20
Housing	Plastic housing
Suitable for constant voltage	No
Output voltage (V)	3 - 45
Rated voltage (V)	110 - 240
Voltage type	DC
Suitable for DC-voltage (primary side)	No
Suitable for constant current	Yes
Output current (mA)	100 - 300
Yes	
Degree of protection (IP)	IP20
Suitable for outdoor use	No
Length (mm)	110
Width (mm)	52
Height (mm)	23.5
Rated frequency (Hz)	50 - 60
0.9	
Max. starting current (A)	1.25
( ° C)	0 - 50
Grey	
No	
Number of channels	2
Yes	
Yes	
Yes	
Yes	
Dimmable	No
Operation by Bluetooth	No
Dimming DALI-2	No
IFTTT support available	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
Compatible with Casambi	No
Dimming potentiometer (integrated)	No
Compatible with Apple HomeKit	No
Suitable for pulse button	Yes
Dimming RF	No
Dimming manufacturer's proprietary system	No
Dimming 1-10 V	Yes
Dimming LineSwitch	No
Dimming phase cut-on	No
Dimming DALI	No

On the left side of the page, there are five horizontal bars of different colors: orange, blue, light green, and grey. The blue bar is the most prominent and is positioned between the orange and light green bars.

Dimming programmable	No
Dimming Sine Wave Reduction (%)	No 100 - 0
Dimming DMX	No
Dimming mains voltage modulation	No
Constant light output (CLO)	No
Dimming Touch and Dim	No
Dimming DSI	No
Dimming Zigbee	No
Dimming phase cut-off	No
Dimming 0-10 V	No