

Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

876831 - LD-DRV25W-PD-UNI

Leddriver constante stroom

/productimages/876831.jpg

Package type: BG á 1 pce



PRODUCT SPECIFICATIONS:

Model	Dynamic
Suitable for outdoor use	No
Housing	Plastic housing
Suitable for constant current	Yes
Suitable for constant voltage	No
Suitable for pulse button	No
Output voltage (V)	3 - 43
Output current (mA)	100 - 1050
Suitable for DC-voltage (primary side)	No
Output power (W)	1 - 25
Degree of protection (IP)	IP20
Length (mm)	110
Width (mm)	52
Height (mm)	23.5
Dimming 0-10 V	No
Dimming 1-10 V	No
Dimming DALI	No
Dimming DSI	No
Dimming DMX	No
Dimming potentiometer (integrated)	No
Dimming LineSwitch	No
Dimming manufacturer's proprietary system	No
Dimming mains voltage modulation	No
Dimming phase cut-off	Yes
Dimming phase cut-on	Yes
Dimming programmable	No
Dimming RF	No
Dimming Sine Wave Reduction	No
Dimming Touch and Dim	No
Compatible with Casambi	No
Dimming Zigbee	No
Constant light output (CLO)	No
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No
Yes	
Rated voltage (V)	220 - 240
Voltage type	DC
Rated frequency (Hz)	50 - 60
(%)	100 - 1
0.9	
Max. starting current (A)	0.37



(°C)	-20 - +45
(%)	0
Grey	
No	
1 - 10	
1 - 13	
1 - 4	
1 - 3	
Yes	
Yes	
Yes	
Yes	
Operation by Bluetooth	No
Dimmable	Yes
Dimming DALI-2	No